

Fujitsu recommends Windows® 7.

Data Sheet

Fujitsu LIFEBOOK P771

Notebook

The Slim Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P771 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P771 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Elegant design combined with smallest size

Ultimate mobility for maximum comfort while on the move.

- Starting from 1.3 kg, one of the smallest footprints, robust light-weight magnesium lid as option

Ergonomic working

Enjoy constant access to all your data thanks to a versatile mobile device. The ScrollWheel enables comfortable scrolling, the independent scroll pad doesn't disturb pointing operation.

- Anti-glare display, 16:10 aspect ratio, HDMI interface, ScrollWheel, optional fingerprint sensor and webcam, port replicator
- Anytime USB Charge to charge phones/media devices even when the system is switched off

Maximum security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor including Omnipass Security Software

Reliable Companion

Secure and effective working even for the most demanding of users in all situations.

- Spill-resistant keyboard, ShockSensor, magnesium lid and further innovative highlights
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Highest flexibility

Configure the system for your needs, variety of options are available.

- Modular bay for DVD drive, second battery or the world's first Bay Projector, optional embedded 3G/UMTS, SSD drive, port replicator



Components

Operating systems

| | |
|------------------------------------|---|
| Operating system | Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit |
| Operating system compatible | Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit |
| Operating system notes | Driver support for Microsoft® Windows® XP |

Memory modules

2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM

Base unit memory

LIFEBOOK P771, glossy black **LIFEBOOK P771, matt**

| | |
|--------------------------------------|-------------|
| Supported capacity RAM (max.) | 8 GB |
| Memory slots total | 2 |
| Memory slot type | DIMM (DDR3) |

Hard disk drives (internal)

SSD SATA III, 128 GB, 2.5-inch
SSD SATA, 128 GB, 2.5-inch
SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized)
SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.
SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.

Hard disk notes

ShockSensor for HDD shock protection
One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
Accessible capacity may vary, also depending on used software.
Up to 18 GB of HDD space is reserved for system recovery
Internal HDD interface: S-ATA III (6GBit/s)

WLAN (optional)

Atheros Minicard b/g/n
Intel® Centrino® 6205 802.11 a/b/g/n

Wireless technologies

| | |
|---------------------|---|
| Antennas | 2 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth antenna |
| WLAN notes | Import and usage according to country-specific regulations. |
| WiDi support | Yes (with Intel W-LAN) |

3G/UMTS (optional)

Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.767 Mbit/s)

Bluetooth (optional)

Bluetooth 3.0

Modular bay options

2nd battery
Bay Projector
DVD Super Multi
Weight saver

| | | |
|------------------|-----------------------------|---------------------|
| Base unit | LIFEBOOK P771, glossy black | LIFEBOOK P771, matt |
|------------------|-----------------------------|---------------------|

General system information

| | | |
|------------------|--|--|
| Processor | Intel® Core™ i7-2617M processor (1.5 GHz), 4 MB, | Intel® Core™ i5-2520M processor (2.5 GHz), 3 MB, |
| Chipset | Intel® QM67 | |

General system information

| | | |
|---------------|--|--|
| Chipset notes | supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN & TPM module | |
| BIOS features | BIOS based on Phoenix SecureCore | |

Display

| | | |
|---------------|--|--------------|
| Display | 30.7 cm (12.1-inch), TFT, (WXGA), LED anti-glare display, 1280 x 800 pixel | |
| Display notes | magnesium lid | compound lid |

Graphics

| | | |
|---|--|--|
| TFT resolution (HDMI) | up to 1920 x 1080 | up to 1920 x 1080 |
| TFT resolution (VGA) | up to 1920 x 1200 | up to 1920 x 1200 |
| TFT resolution (DVI on Port Replicator) | up to 1920 x 1200 | up to 1920 x 1200 |
| Max. resolution external display | 1920 x 1200 / true color / 60 Hz | 1920 x 1200 / true color / 60 Hz |
| Graphics brand name | Intel® HD Graphics | Intel® HD Graphics 3000 |
| Graphics features | DualView | DualView |
| Graphics notes | Shared memory depending on main memory size and operating system | Shared memory depending on main memory size and operating system |

Interfaces

| | | |
|---------------------------------------|---|---|
| Memory card slots | 1 (SD) | 1 (SD) |
| ExpressCard slots | 1 (34 mm and 54 mm supported) | 1 (34 mm and 54 mm supported) |
| SIM card slot | 1 (usable only with 3G/UMTS) | 1 (usable only with 3G/UMTS) |
| USB 3.0 total | 2 (1 with Anytime USB Charge functionality) | 2 (1 with Anytime USB Charge functionality) |
| USB 2.0 total | 1 | 1 |
| VGA | 1 | 1 |
| HDMI | 1 | 1 |
| Ethernet (RJ-45) | 1 | 1 |
| DC-in | 1 | 1 |
| Audio: line-in / microphone | 1 | 1 |
| Audio: line-out / headphone | 1 | 1 |
| Internal microphones | 1 (digital) | 1 (digital) |
| Docking connector for Port Replicator | 1 | 1 |
| Kensington Lock support | 1 | 1 |

Wired communication

| | |
|-----|---|
| LAN | Built-in 10/100/1000 MBit/s Intel® 82579 LM |
|-----|---|

Keyboard and pointing devices

Spill-resistant keyboard
 Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm
 Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel
 Optional: Fingerprint sensor
 Application buttons

Multimedia

| | | |
|----------------|--|--|
| Audio type | On board | |
| Audio codec | Realtek ALC269 | |
| Audio features | Stereo speakers, 1x built-in microphone | |
| Camera | Optional: Built-in webcam, 2.0 megapixel | Optional: Built-in webcam, 1.3 megapixel |

Power supply

| | |
|------------|--|
| AC Adapter | 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology |
| | 19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter |
| | 19 V / 60 W (3.16 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Slim Adapter |
| | 19 V / 60 W (3.16 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter |

Notes
 60 W AC Adapters are only available with LIFEBOOK P771 glossy model.

| | |
|---------------------|--|
| 1st battery options | Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh |
| | Li-Ion battery 6-cell, 6200 mAh, 67 Wh |

Power supply

| | | |
|----------------------------------|--|------------|
| 2nd battery (optional) | Li-Ion battery 3-cell, 2500 mAh, 27 Wh | |
| Runtime 1st battery | Up to 13 h | Up to 10 h |
| Runtime 1st + 2nd battery | Up to 18 h | Up to 15 h |
| Battery notes | Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5,800 mAh batteries | |

Power consumption

| | |
|-----------------------------------|---|
| Power consumption note | See white paper Energy Consumption |
| Link to Energy White Paper | http://docs.ts.fujitsu.com/dl.aspx?id=d46eb7d6-2580-46ae-8f0d-793c37303b7a |

Dimensions / Weight / Environmental

| | | |
|--------------------------------------|--|---------------------|
| Dimensions (W x D x H) | 282 x 215 x 29.9 mm | 283 x 215 x 32.5 mm |
| Weight | 1.3 kg | 1.5 kg |
| Weight notes | Incl. weight saver. Weight may vary depending on actual configuration. | |
| Operating ambient temperature | 5 - 35°C | |
| Operating relative humidity | 20 - 85 % (running) | |

Additional Software

| | |
|---|--|
| Additional software (preinstalled) | Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) 60 days version Fujitsu Recovery (Hard Disk Based Recovery) Microsoft® Office Starter: reduced-functionality Word and Excel® only, with advertising. No PowerPoint® or Outlook®. Buy Office 2010 to use the full-featured software. |
| Additional software (optional) | Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) |

Manageability

| | |
|---------------------------------|--|
| Manageability technology | DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology |
| Manageability software | DeskView 10.x client management including: |
| DeskView components | On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN) |
| Supported standards | WMI PXE BootP (made4you) |
| Manageability link | http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html |

Security

| | |
|-------------------------------|---|
| System protection | Kensington Lock support |
| Audit proof protection | Advanced Theft Protection (Intel® Anti Theft & Computrace®) Norton Internet Security (incl. Firewall) 60 days version Computrace® enabled BIOS Advanced Theft Protection |

| | |
|--------------------------|---|
| Security | |
| Access protection | Optional: Integrated fingerprint sensor including Omnipass software Optional: Access protection via external SmartCard reader Hard disk password User and supervisor BIOS password |

| | |
|------------------------|---|
| Compliance | |
| Europe | CE |
| Global | RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® Gold (dedicated regions) |
| Compliance link | https://sp.ts.fujitsu.com/sites/certificates/ |

Port Replicator interfaces (optional)

| | |
|-------------------------|---|
| DC-in | 1 (supports also 0-Watt AC Adapter) |
| Power on switch | 1 |
| USB 2.0 total | 4 |
| DisplayPort | 1 (not usable in parallel with DVI) |
| VGA | 1 |
| DVI | 1 (not usable in parallel with DisplayPort) |
| Ethernet (RJ-45) | 1 |
| eSATA | 1 |
| Notes | Supports 0-Watt AC Adapter technology |

Warranty

| | |
|--------------------------|--|
| Standard Warranty | 2 years |
| Service level | Collect & Return Service / Bring-in Service (depending on country specific requirements) |

Maintenance and Support Services - the perfect extension

| | |
|---------------------------------|---|
| Recommended Service | 3 years, Collect and Return Service, where available: On-site Service |
| Spare Parts availability | 5 years |
| Service Weblink | http://ts.fujitsu.com/Supportservice |



Recommended Accessories

Port Replicator

Flexibility, expandability, desktop replacement, investment protection to name just a few benefits of Fujitsu docking options. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.

Order Code:
S26391-F977-L100

| | | | |
|---|---|---|----------------------------------|
| LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit) |  | The combination of our Port Replicator and AC adapter is the perfect docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation - our professional notebooks - to simplify your mobile life. In the office or at home it takes just a second to attach your notebook to the Port Replicator and get connected to your peripherals. | Order Code: S26391-F977-L200 |
| 2nd battery |  | With a second battery you can maximize the working time of your notebook and work wherever you want for a whole working day. Just put the 2nd battery into the modular bay and enjoy truly mobile working free from the power socket! | Order Code: S26391-F974-L500 |
| Car / Truck / Air Adapter |  | People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car / truck / air adapter will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available. | Order Code: S26391-F2613-L600 |
| Microsaver® DS Ultra thin |  | The Fujitsu Kensington MicroSaver® DS Ultra-Thin notebook lock is the ultimate defense for even the thinnest notebooks. The patented T-bar locking mechanism along with an advanced carbon-tempered steel cable design provides excellent security. It also includes Kensington Master Access so you can manage an unlimited number of locks with a single master key. | Order Code: S26361-F1650-L900 |
| Privacy filter |  | Privacy filters help block the screen view from anyone viewing the computer from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M offers the broadest line of computer filters available. | Order Code: S26391-F6097-L312 |
| Supreme Case Midi 13 |  | The Supreme Case Midi 13 is designed to protect notebooks with up to 13-inch screens. The case features oversized pockets to provide storage for power adapters and is also equipped to hold business card and pens. The padded notebook compartment features shock-absorbing foam for added protection. The strong, structured, leather-wrapped handles are durable and comfortable to carry. The Supreme Case Midi 13 features a professional design, ideal for the traveler who is looking for a functional business case. | Order Code: S26391-F119-L750 |

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK P771, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P771, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://ts.fujitsu.com/mobile>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions
Website: <http://ts.fujitsu.com>
2011-12-20 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions